


## D1000B-T2-H120 Rotary Vane Vacuum System

	Configuration:	Duplex Horizontal Tank Mount
	System Capacity:	54.5 SCFM @ 19" Hg.
	Capacity per Pump:	54.5 SCFM @ 19" Hg.
	Motor Horsepower:	10 HP
	Total System Horsepower:	20 HP
	Receiver Size:	120 Gallon
	Available Voltage:	208/230/460 3 phase Contact Factory for Other Voltages
	<p><b><i>Note: System capacity is stated with one pump in reserve</i></b></p>	

### Vacuum Pump Module:

- Oil-Less, Air Cooled Rotary Vane Vacuum Pumps
- Each Pump has: Vacuum Filter, Inlet Check Valve, and Exhaust Temperature Switch
- Pump Isolation Valves for Ease of Service

### Air Receiver:

- Constructed to ASME standards
- Rated for Full Vacuum ASME pressure relief valve
- Equipped with 3 Valve Bypass
- High Visibility Vacuum Gauge
- Source Isolation Valve Included
- Mounting pads & flex connectors included

### System Controls:

- UI Listed, Nema 12 Enclosure
- Safety Disconnect Handles
- Fuseless Design
- Hmi (Human Machine Interface) System
- NFPA Required Local Alarms

### Options:

- Inlet Liquid Separators